


項次	單針成品	產品高度(C)	針軸外徑(D)	管外徑(E)	凸環外徑(F)	管底外徑(G)	管電鍍規格	針電鍍規格	彈力g	工作高度(K)	電流
1	AG025401-183	2.54	1.07	1.5/1.55	1.63	1.83	20	20	1.5N±0.3N	2.24	DC 12V, 1A
2	AG026901-183	2.69	1.07	1.5/1.55	1.63	1.83	20	20	1.5N±0.3N	2.28	DC 12V, 1A
3	AG065004-350	6.50	2	2.5		3.5	10	30	30±10	5.5	DC 12V, 1A
4	AG065005-350	6.50	2	3		3.5	10	30	30±10	5.5	DC 12V, 2A
5	AG072501-300	7.25	2	3		3.5	10	30	60±20	6.25	
6	AG072502-350	7.25	2.5	3.5		3.5	10	30	60±20	6.25	
7	AG072503-400	7.25	3	4		3.5	10	30	60±20	6.25	
8	AG072504-500	7.25	4	5		3.5	10	30	60±20	6.25	
9	AG075001-250	7.50	2	2.5			10	30	30±10	6.5	DC 12V, 2A
10	AG075002-250	7.50	2	2.5			10	30	15±5	6.5	DC 12V, 2A
11	AG223001-260	22.30	1.4	2.1	2.21/2.22	2.6/1.6	10	10	200±40	20.05	
12	AG233001-500X	23.30	3	4.5	4.61/4.62	5.0/4.0	10	10	500±100	18.5	DC 36V, 20A
13	APG0275A250-217F	2.75	1.3	2.05	2.17	2.5/2.05	10	10	150±20	1.95	
14	APG0521A198-168F	5.21	1.07	1.68	1.98		10	20	60±20	4.51	DC 30V, 2A
15	BG0710C150-250F	7.10	1	1.5	2.5	1.05	10	10	100±20	5.6	
16	B0092501-250	5.60	1.05	1.5	1.58	2.5/2.2	10	10	65±15	4.6/4.8	DC 12V, 2A
17	B2150A200-300	21.50	1.25	2	3/2.05		10	30	100±20	18	DC 12V, 2A
18	DG027001-080	8.20	0.3	0.7/0.65	0.74	0.80/0.30	10	5	50±10	0.5	DC 12V, 1A
19	DG028001-240	4.70	1.2	1.8	1.96	2.4/1.8	10	10	70±15	2	DC 9V, 3A
20	DG031001-080-A1	2.80	0.3	0.6	0.68	0.8	5	10	50±10	1.8	
21	DG033001-240	5.20	1.2	1.8	1.96	2.4/1.8	10	10	70±15	2	DC 9V, 3A
22	DG036001-130	3.60	0.7	1.2	1.22	1.3/0.6	5	30	40±15	3.1/3.2	DC 12V, 2A
23	DG036004-130	3.60	0.7	1.1	1.22	1.3/0.6	5	30	40±15	3.1/3.2	DC 12V, 2A
24	DG041501-110	4.15	0.6	0.95	1.05	1.1/0.5	10	10	50±10	3.45	
25	DG050001-160	5.00	0.5	1.1	1.22	1.4/1.6	5	10	60±20	4.2	DC 12V, 2A
26	DG050002-260	4.20	1.2	1.8	1.88	2.6/1.8	5	10	70±10	3.4	DC 12V, 3A
27	DG050003-210	4.20	0.9	1.5	1.64	2.1/1.5	10	10	70±20	3.2/3.4	
28	DG050004-310	6.00	1.2	1.8	1.94	2.4/0.5	10	10	70±20	3.4	DC 9V, 3A
29	DG051001-220X	5.10	0.9	1.5	1.56/1.58	2.2/1.2	4	16	40±10	4.25	DC 12V, 3A
30	DG055001-240	6.50	1.2	1.8	1.94	2.4/1.8	PdNi10	PdNi10	70±20	1.3	DC 9V, 3A
31	DG062001-160	6.20	0.5	1.1	1.22	1.6/1.1	5	10	60±20	5.4	DC 12V, 2A
32	DG064001-180	6.40	0.9	1.48	1.54	1.8/0.8	5	3	120±20	5.2	DC 12V, 2A
33	DG065002-190	6.5	1	1.50/1.55	1.62	1.9/1.3	5	5	100±20	5.1	DC 19.5V, 1A
34	DG066301-230	6.63	1.2	2.1	2.3	2.3/2.1	5	20	70±15	1.2/1.14	DC 50V, 2A
35	DG066502-124	6.65	0.6	1.17	1.2	1.24	10	10	90±20	5.25/5.85	DC 12V, 1A
36	DG067001-290	11.20	2.08	2.75	2.9	2	10	10	600±20	5.2	DC 12V, 2A
37	DG072002-290	7.20	2.08	2.75	2.9	2	10	10	600±20	5.2	DC 12V, 2A
38	DG073001-200	7.30	0.8	1.3	2	1.7	10	10	90±20	6.4/6.8	DC 12V, 1A
39	DG078001-200	7.80	0.8	1.3	2	1.7	10	10	90±20	6.4/6.8	DC 12V, 1A
40	DG0807A220X (R2)	8.07	0.8	1.3	2.2/1.75/1.4	1.3/0.45	10	30	50±15	6.67	DC 12V, 5A
41	DG116001-210X	11.60	0.9	1.5	1.6	1.8	3	10	110±25	11.0	DC 12V, 2A
42	DG125001-210	12.50	1.05	1.5	1.62/1.63	2.1/0.7	5	10	85±15	11.2	DC 12V, 2A
43	DG126001-240X	12.60	1.3	1.8	1.9	1.9	3	10	130±25	10.2/12	
44	DG1330B-183X	13.30	1.05	1.5	1.61/1.62	1.83/0.6	10	30	65±15	11.9/12.3	DC 30V, 3A
45	DG138001-183X	13.80	1.05	1.5	1.61/1.62	1.83/0.6	10	30	65±15	12.4	DC 30V, 3A
46	DG140001-183X-A1	14.00	1.05	1.5	1.61/1.62	1.83/0.6	10	30	65±15	12	DC 12V, 3A
47	DG167001-290	16.70	1.4	2	2.09	2.9/2/1	2	30, 4	65±15	14.2/15.1	
48	DG167002-290	16.70	1.4	2	2.09	2.9/2/1	5	30, 4	65±15	14.2/15.1	
49	DP0205A120-102F版次一	2.05	0.45	0.85		1.2/0.95/0.85	30	10	50±10	1.35	
50	DP0235A080-040	2.35	0.4	0.8			5	5	35-40	1.95	
51	DP0250B110F	2.50	0.7	1.1		1.1	10	10	60±20	2.05	
52	DP0255B120-150F(版次一)	2.55	0.7	1.1	1.2	1.5/1.1	10	30	50±10	2.05	DC 12V, 1A
53	DP0255C090-120F	2.55	0.45	0.9		1.2/0.9	10	30	30±10	1.55	
54	DP0350G120-150-050F-40G	3.50	0.7	1.1	1.25	1.5/0.8	PdNi20	PdNi10	40±10	2.65	
55	DP0350G120-150-050F-60G	3.50	0.7	1.1	1.25	1.5/0.8	PdNi20	PdNi10	60±10	2.65	DC 12V, 1A
56	DP0350H155-220-080F	3.50	1	1.45	1.55	2.2/0.8	鉍鍍20	鉍鍍10	60±20	2.7	DC 12V, 1A
57	DP03501150-180-060-30U	3.50	0.9	1.48/1.5		1.8/0.6	10	30	100±20	2.8	
58	DP0365A134-164-080	3.65	0.82	1.23	1.34/1.64	0.8	10	20	45±15	2.95	
59	DP0380G120-150-110F	3.80	0.7	1.1	1.2	1.5/1.1	10	30	50±10	3.1	
60	DP0380K150-050F	3.20	0.7	1.1	1.3	1.5/0.5	10	20	60±10	2.65	DC 12V, 1A
61	DP0380L150-050F	3.20	0.7	1.1		1.5/0.5	10	20	60±10	2.65	DC 12V, 1A
62	DP0410C134-155-100	4.10	0.75	1.27	1.34	1.55	10	10	40±15	3.3	
63	DP0410F120-160F(A1)	4.10	0.7	1.1	1.2	1.6/1.1	5	10	40±10	3.4	DC 12V, 1A
64	DP04201150-200-150	4.20	1	1.5	2	1.5	3	3	100±20	2.9	
65	DP0420K-000C320	4.20	1	1.48	1.52	1.9/0.8	10	10	100±20	3.2	
66	DP0420L160-104-094	4.20	0.6	1.1	1.6/1.04	0.94	5	10	95±15	3.5	
67	DP0420L160-104F(版次二)	4.20	0.6	1.1	1.6/1.04	0.98	5	10	95±15	3.5	DC 12V, 1A
68	DP0440C-000C320	4.40	0.9	1.5	1.9	1.1	5	5	100±20	3.7	DC 12V, 1A
69	DP0445B152-190-060	4.45	0.9	1.48	1.52	1.9	10	10	100±20	3.45	DC 12V, 1A
70	DP0445C120-135F版次三	4.51	0.65	1.1	1.2	1.65/0.5	5	10	75±15	3.81	DC 12V, 1A
71	DP0450F151-240版次一	4.50	1	1.48	1.54	2.4/1.5	10	30	110±20	3.7	DC 12V, 2A
72	DP0460B166-230F	4.60	1	1.5	1.66	2.3/1.5	5	10	40±10	3.9	
73	DP0470C116-140F	4.70	0.6	1.1	1.16	1.4/0.85	10	30	50±10	3.85	
74	DP0480D116-140-085	4.80	0.6	1.1	1.16	1.4	35	35	95±10	4	
75	DP0480F105-155F版次四	4.80	0.6	1.05	1.55/1.09	1.05	5	10	95±15	4.1	DC 12V, 1A
76	DP0485A140-160F	4.85	0.7	1.2	1.4	1.6/1.1	5	10	50±10	3.95	DC 12V, 1A
77	DP0495A126-150-070	4.95	0.7	1.2	1.26	1.5	20	20	120±15	4.35	
78	DP0500C130-140-080	5.00	0.8	1.3	1.4		3	3	55±15	4.4	
79	DP0500F150-180	5.00	1.07	1.5	1.63	1.8	20	10	80±15	4.3	
80	DP0500J320-200	5.00	2	3.2			3	3	150±20	3.8	
81	DP0500P134-180-070F	5.00	0.7	1.2	1.34	1.8/0.7	5	30	0.6N	4.6	
82	DP0500R162-200F	5.00	1	1.55	1.61/1.62	2/1.2/0.8	10	10	85±20	4.5	
83	DP0500S450-350F	5.00	2.9	3.5		4.5/3.5	5	30	100±20	3/3.5	DC 12V, 2.5A
84	DP0500Z-000C-500F	5.00	2.9	3.5		4.5/3.5	10	5	100±20	3.5	DC 12V, 2.5A
85	DP0505B170-118F版次一	5.05	0.7	1.1	1.7/1.18	1.1	10	30	50±10	4.35	DC 12V, 2A
86	DP0510G162-230-150	5.10	1.03	1.5	1.62/2.3	1.5	5	10	80±20/105±20	4.1/3.6	
87	DP0510H230	5.10	1.05	1.5	1.62	2.3/1.5	5	10	50±10/80±20	4.6/4.1	DC 30V, 2A
88	DP0520E067-080F	5.20	0.4	0.6	0.65/0.67	0.8/0.45	10	30	60±20	4.7	
89	DP0525A158-200-060	5.25	0.9	1.5	1.58	2/0.6	PdNi10	PdNi50	80±15	4.65	
90	DP0525B158-200-100	5.25	0.9	1.5	1.58	2/1	PdNi20	PdNi50	58±15/80±15	4.9/4.65	
91	DP0530D127-140-045F	5.30	0.7	1.19	1.27	1.4/0.45	10	40	120±20	3.7	DC 12V, 1A
92	DP0535A155-105-050	5.35	0.6	1.05	1.55	0.5	5	10	80±20	4.37	
93	DP0535B142-170-160	5.35	0.8	1.3	1.41/1.42	1.7/0.6	10	10	60±15	4.4	
94	DP0540A150-254F版次二	5.40	0.9	1.5	2.5	1.52	3	3	200±20	4.4	DC 12V, 1A
95	DP0542A164-240F	6.42	1	1.5	1.64	2.4/1	5	10	60±10	5.62	
96	DP0543A140-160F	5.43	0.7	1.2	1.4	1.6/1.1	5	10	50±10	4.53	
97	DP0550G152-190-060	5.50	0.9	1.48	1.52	1.9	1	10	120±20	4.4	
98	DP0555A166-180F版次三	5.55	1	1.5	1.6	1.8/0.7	10	30	30±10	5.1	DC 12V, 1A
99	DP0560F142-170-060	5.60	0.8	1.3	1.41/1.42	1.7/0.6	10	10	80±15	4.4	



100	DP0560G162-230-150-60G	5.60	1.05	1.5	1.62	2.3/1.5	5	10	60±20	4.6	
101	DP0560G162-230-150-80G	5.60	1.05	1.5	1.62	2.3/1.5	5	10	80±20	4.1	
102	DP0580B151-220-060	5.80	1	1.48	1.51	2.2	10	10	110±20	4.7	
103	DP0586A118-140-060-130G	6.36	0.65	1.08	1.18	1.4/0.6	10	10	130±20	4.36	DC 19V, 2A
104	DP0586A118-140-060-40G	6.36	0.64	1.08	1.18/1.4	0.64/0.45	10	10	40±20	4.36	DC 19V, 2A
105	DP0600R104-140F	6.50	0.5	0.9	1.4	0.9	10	30	50±10	5.3	DC 24V, 2.5A
106	DP0600S150-183F	6.00	1.03	1.5		1.83/0.6	10	10	45±15	5.3	DC 30V, 2A
107	DP0600Y162-183F	6.50	1.03	1.5	1.62	1.83/0.6	10	10	45±15	5.8	
108	DP0610A-000C370版次一	6.10	1.7	2.5	3.5	1.5	10	10	150-200	4.9	
109	DP0610A250-350-150-4A	6.10	1.7	2.5	3.5	1.5	10	10	150-200	4.9	
110	DP0610B-000C370	6.10	1.7	2.5	3	1	10	10	150-200	4.9	
111	DP0646A210-156F	6.46	1	1.5	1.56	2.1/0.6	5	30	100±15	1.78	
112	DP0660D108-150-050	6.60	0.6	1.03	1.1	1.5	5	10	55±20	5.7	
113	DP0670B124-140F	6.70	0.8	1.24	1.4	0.6	10	10	110±20	5.5	DC 12V, 1A
114	DP0680A126-145F版次一	6.80	0.8	1.23	1.26	1.45	5	10	80±20	4.81	DC 5V, 0.25A
115	DP0685C280-140F版次二	3.45	0.9	1.5	2.8	0.5	5	10	110±20	2.8	DC 12V, 1A
116	DP0690B127-170F	6.90	0.7	1.2	1.27	1.7/0.8	30	30	110±25	6	
117	DP0690B128-170-080F	6.90	0.7	1.2	1.28	1.7/0.8	30	30	110±25	6	
118	DP0700B150-200-DB	7.00	0.9	1.5		2	10	15	45+10-15	5.5	
119	DP0700Q-3250F0	7.00	0.9	1.48	1.51	2/0.9	3	3	90±20	5.8	
120	DP0710B127-170F	7.10	0.7	1.2	1.27	1.7/0.8	30	30	110±25	6	DC 30V, 3.5A
121	DP0710B128-170-080	7.10	0.7	1.2	1.28	1.7/0.8	30	30	110±25	6	
122	DP0725C500-350F	7.25	4	5	5	3.5	10	30	230±20	6.25	
123	DP0725D600-350F	7.25	5	6		3.5	10	30	60±20	6.25	
124	DP0725E700-350F版次一	7.25	6	7		6.65/3.5	10	30	60±20	6.25	
125	DP0725F750-350F版次一	7.25	6.5	7.5		7.5/3.5	10	30	60±20	6.25	
126	DP0730A126-145-060-5U	7.30	0.8	1.23	1.26	1.45	5	10	80±20		
127	DP0735B134-180F	8.05	0.7	1.2		1.34/1.8/0.7	10	30	0.25-0.45N	7.28	DC 12V, 1A
128	DP0765A150-250-152	7.65	0.9	1.5	2.5	1.52	10	10	200±20	7.8	
129	DP0765B-000C320	7.65	0.9	1.48	1.51	1.9/0.9	10	110	80±20	6.15	
130	DP0770B200-200-100	7.70	1.3	2			3	3	150±20	6.2	
131	DP0780B150-190-060	7.80	0.9	1.5		1.9	1	10	150±20	6.8	
132	DP0780F290-100F-A1	7.80	0.9	1.5		2.9/1.0	5	10	30±10	6.8	DC 12V, 0.5A
133	DP0800F151-190-060	8.00	0.9	1.48	1.51	1.9/0.6	10	10	80±20	7	
134	DP0810A160	8.10	0.98	1.48	1.54	1.6/0.8	10	10	150±20	6.3	DC 12V, 2A
135	DP0887A220-140F-A3	8.87	0.8	1.3	2.2/1.75	1.3/0.45	10	30	50±15/75±15	7.47/8.37	DC 12V, 5A
136	DP0950A152-190	9.50	0.9	1.48	1.52	1.9	10	10	120±20	8.3	
137	DP1000E300-150	10.00	2	3		1.5	10	20	80±20	9	
138	DP1040A150-180-080-30G	10.40	1	1.5		1.8	10	10	30±10	8.4	
139	DP1100B128-150F版次二	11.00	0.8	1.25	1.28	1.5/0.6	10	20	120±20	10	
140	DP1130A128-150F版次一	11.30	0.8	1.25	1.28	1.5/0.6	10	20	120±20	10	DC 12V, 3A
141	DP1137A250-340F	11.37	1.05	1.57	1.81	3.4/2.5	5	10	0.8N±0.2N	8.87	
142	DP1150F150-180F	11.50	1	1.5	1.8	0.8	10	10	30±10	9	DC 12V, 1A
143	DP1480A126-145F(版次一)	14.80	0.8	1.45	1.26	1.8/0.6	5	10	80±15	13.85	DC 5V, 0.25A
144	DP1540A400-200-M2	15.40	2	2.8		4	鍍100	鍍100	125±25		
145	DP1660A100	16.60	0.5	1			5	5	100±20	12.7	
146	DP3200A2290-2450-400F	32.00	21	22.5	22.85	24.5	20	35	200	25.5	
147	DPG0900Q290X	9.00	1.4	2.1		2.9/1.4	5	10	75±20	7.5	
148	HB1170A140-190	11.70	0.9	1.33	1.4	1.9	3	10	130±20	9.7/9.2	
149	HD0500Q162-200F	4.55	1	1.55	1.61/1.62	2/1.5	10	10	85±20	4	
150	HD071070A130-150F	10.70	0.75	1.2	1.3	1.5	10	10	150±20	9.7	
151	HD071120B161-200-150	11.20	1.05	1.5	1.62	2	10	20	110±20	7.2/7.4	
152	HD071120C161X	11.20	1.05	1.5	1.61/1.62	2.0/1.5	10	20	110±20	7.2/7.4	DC 12V, 3A
153	HD071120C161X-A2	11.2	1.05	1.5/1.55	1.61/1.62	2.0/1.5	10	20	110±20	7.2/7.4	DC 12V, 3A
154	HD071170C161-200-150	11.70	1.05	1.5	1.62	2	10	20	110±20	7.4/7.2	
155	HD071170D162X-A2	11.70	1.05	1.50/1.55	1.61/1.62	2.0/1.5	10	20	110±20	7.4/7.2	DC 12V, 3A
156	HD071500A141-160-060	15.00	0.8	1.38	1.41	1.6	5	20	65±20	13.5	
157	HD071500B141-160-060	15.00	0.8	1.38	1.41	1.6	5	20	65±20	13.5	
158	HD071550A141-160-060	15.50	0.8	1.38	1.41	1.6	5	20	65±20	13.5	
159	HG112003-183X	11.20	1.05	1.5	1.61/1.62	1.83	5	10	65±15	9.2/9.4	
160	PG0210A-000C200	2.10	0.8	1.25		1.6	10	10	100±20	1.55/1.45	
161	PG0210C132-150F	2.10	0.8	1.23	1.32	1.5	5	10	90±25	1.7	
162	PG0220C101-110F	2.20	0.6	0.95	1.01	1.1	5	50	35±10	1.8	DC 12V, 1A
163	PG0230B070-110F	2.30	0.7	1.1		1.1	10	10	40±15	1.8	
164	PG0260D147-200	2.60	0.9	1.47		2	10	10	1.0N	2	
165	PG026401-125	2.64	0.8	1.25		1.25	20	20	1.5N±0.3N	2.14	DC 12V, 1A
166	PG027901-123	2.79	0.8	1.25		1.25	20	20	1.5N±0.3N	2.29	DC 12V, 1A
167	PG027901-125	2.79	0.8	1.25		1.25	20	20	1.5N±0.3N	2.29	DC 12V, 1A
168	PG030401-125	3.04	0.8	1.25		1.25	20	20	1.5N±0.3N	2.54	DC 12V, 1A
169	PG0315A168-195	3.15	0.9	1.6	1.68	1.95	鈮鍍10	鈮鍍10	120±20	2.65	
170	PG0331A106-105F	3.31	0.55	1	1.06	1.04	20	20	60±12	2.81	
171	PG0340C147-180	3.40	0.9	1.47		1.8	10	10	110±20	2.6	
172	PG0340E-000C320	3.40	1	1.48/1.5		1.8	10	10	110±20	2.6	DC 12V, 1A
173	PG0350D150-180	3.50	0.9	1.48	1.5	1.8	3	3	100±20	2.8	
174	PG0350E-000C320	3.50	1	1.5		1.9	10	10	85±20	3.0/2.3	DC 12V, 1A
175	PG0350J162-183F	3.50	1.07	1.5	1.62	1.83	10	20	0.45N±0.15N	2.8	
176	PG0360C-000C200	3.60	0.8	1.25		1.6	10	10	100/80±20	3	
177	PG0360G122-130F-A1	3.60	0.7	1.1	1.22	1.3	5	30	40±15	3.1/3.2	DC 12V, 2A
178	PG0370F148-190	3.70	0.9	1.48	1.52	1.9	10	10	140±20	3	
179	PG0380D129-160	3.80	0.8	1.25	1.29	1.6	3	3	150±20	2.8	DC 12V, 1A
180	PG0380E162-183	3.80	1	1.5	1.62	1.83	10	10	85±20	3.3	DC 12V, 1A
181	PG0380F-000C320	3.80	1	1.5		1.9	5	10	110±20	3.3	
182	PG0380J122-130F	3.80	0.7	1.1	1.22	1.3	5	30	40±15	3.1/3.3	DC 12V, 2A
183	PG0390C-000C320	3.90	1	1.48	1.51	1.9	10	10	110±20	3.1	
184	PG0390C151-190	3.90	1	1.48	1.51	1.9	10	10	110±20	3.1	
185	PG0395B130-140	3.95	0.8	1.3		1.4	3	3	70-100	3.35	
186	PG0400A152-190	4.00	0.9	1.48	1.52	1.9	10	10	90±20	3.2	
187	PG0400G180-130F	4.00	0.95	1.5		1.8/1.3	5	10	70±20	3/3.5	DC 12V, 1A
188	PG0410E161-183F	4.10	1	1.5	1.61	1.83	10	10	80±20	3.3	
189	PG0415A-000C320	4.15	1.03	1.5		1.83	10	10	120±20	4.15	
190	DG041501-140	5.85	0.7	1.1	1.22	1.4/1.1	5	30	40±15	3.45	DC 30V, 2A
191	PG0420A148-190	4.20	0.9		1.52	1.9	10	10	120±20	3.4	
192	PG042501-145	4.25	0.84	1.2	1.27	1.45	3	10	40±20	3.82	DC 30V, 2A
193	PG042501-183	4.25	1.05	1.5	1.62	1.83	10	10	50±20	3.65	DC 30V, 2A
194	PG042503-145	4.25	0.84	1.2	1.27	1.45	3	10	40±20	3.82	DC 30V, 2A
195	PG0425A162-183F	4.25	1.07	1.5	1.62	1.83	10	20	0.6N±0.15N	3.55	
196	DG043001-140	6.00	0.7	1.1	1.22	1.4/1.1	5	30	40±15	3.6	DC 30V, 2A
197	PG0433A150-230F	4.33	1	1.5		2.3	5	5	45±10	3.68	
198	PG0435A175-210	4.35	0.9	1.55	1.75	2.1	10	10	20±20/30±20	4.05/3.7	
199	PG0440D162-183F	4.40	1.03	1.5	1.62	1.83	5	10	60±15	2.9	

200	PG0440E150-180F	4.40	0.95	1.5	1.57	1.8	5	10	70±20	3.4/3.9	
201	PG0440E180(A1)	4.40	0.95	1.5	1.57	1.8	10	30	70±15	3.4/3.9	DC 12V, 1A
202	PG0445A152-190-3U	4.45	0.9	1.48	1.52	1.9	10	3	100±20	3.45	DC 12V, 1A
203	PG0450B151-200	4.50	0.9	1.48	1.51	2	10	10	120±20	3.5	DC 12V, 1A
204	DG045002-140	6.20	0.7	1.1	1.22/1.4	1.1	5	30	40±15	3.1/3.8	DC 30V, 2A
205	PG048001-125	4.80	0.5	0.9	0.95/1.025	1.25	10	15	50±15	3.6/4.2	DC 12V, 2A
206	PG048001A-125	4.80	0.5	0.9	0.95/1.025	1.25	10	15	75±15	3.6/4.2	DC 12V, 2A
207	PG048002-125-A1	4.80	0.5	0.9	0.95	1.25	10	15	75±15	3.6/4.2	DC 12V, 2A
208	PG048004-125	4.80	0.5	0.9	0.93	1.25	10	15	45±15	4.2	DC 12V, 2A
209	PG0480A148-190	4.80	0.9	1.48	1.52	1.9	10	10	100±20	3.6	
210	PG0480H162-183	4.80	1	1.5	1.62	1.83	10	10	85±20	4.3	
211	PG0490B148-190	4.90	1	1.48	1.51	1.9	10	30	110±20	3.9	
212	PG0500E151-190	5.00	1	1.48	1.51	1.9	10	10	110±20	3.9	
213	PG0500K152-190	5.00	0.9	1.48	1.52	1.8	10	10	90±20	3.8	
214	PG0500T162-183F	5.00	1.05	1.5	1.62	1.83	10	15	90±20	4/4.2	DC 30V, 2A
215	PG0505A116-140F	5.05	0.7	1.1	1.16	1.4	10	30	50±10	4.35	
216	PG0510D127-145版次二	5.10	0.8	1.3	1.37	1.6	10	10	80±20	4.25	DC 30V, 2A
217	PG0540C138-170F	5.40	0.8	1.3	1.37/1.38	1.7	30	20	70±15	5.0/5.1	
218	PG0550BF	5.50	0.9	1.48	1.52	1.9	10	10	100±20	4.2	
219	PG0550E152-190-150g	5.50	0.9	1.48	1.52	1.9	10	40	150±20	4.4	
220	PG0550I127-145版次二	5.50	0.8	1.3	1.37	1.6	10	10	110±20	4.25	DC 30V, 2A
221	PG0550J162-183F	5.50	1.07	1.5	1.65	1.83	10	20	0.6N±0.15N	4.8	DC 12V, 1A
222	PG0550Q150-190	5.50	0.9	1.48	1.52	1.9	10	10	120±20	4.4	
223	PG0550Q152-190	5.50	0.9	1.48	1.52	1.9	10	10	120±20	4.4	
224	PG0560E152-180	5.60	1	1.48	1.52	1.8	3	3	200±20	4.6	DC 12V, 2A
225	PG0590A120-180	5.90	0.8	1.2		1.8	3	3	55±15	5.3	
226	PG0600A-16254B0C	6.00	0.9	1.4	1.45	1.83	10	20	85±20	5.3	DC 12V, 1A
227	PG0600H112-120	6.00	0.6	1	1.12	1.2	10	10	40±15	5	
228	PG0600J162-183F	6.00	1.05	1.5/1.55	1.62	1.83	10	50	0.6N	5.3	DC 12V, 1A
229	PG0600Q-000C320F	6.00	1.05	1.5	1.62	1.83	10	10	45±15	5.8	
230	PG0615D155-260	6.15	1	1.5	1.52	2.6	10	10	100±20	5.15	
231	PG065001-183-A1	6.50	1.05	1.5	1.62	1.83	20	20	0.35N±0.15N	5.3/5.7	DC 12V, 1A
232	PG0650E152-190	6.50	0.95	1.48	1.52	1.9	3	10	110±20	5.5	DC 12V, 1A
233	PG066001-130	6.60	0.6	1	1.12	1.3	5	10	40±10	6	
234	PG0685B134-140-100G	6.85	0.8	1.3	1.34	1.4	10	20	100±20	1	
235	PG0690A162-183	6.90	1.05	1.5	1.62	1.83	10	10	60±15	5.9	
236	PG0700G152-100G-A1	7.00	0.95	1.48	1.52	1.9	10	10	100±20	6	DC 12V, 1A
237	PG0700G152-190-30G	7.00	0.95	1.48	1.52	1.9	10	10	30±10	6	
238	PG0700I152-170	7.00	1	1.48	1.52	1.7	10	10	30±10	6	
239	PG0700M162-183F	7.00	1.05	1.5	1.62	1.83	10	20	0.6N±0.15N	6.3	DC 12V, 1A
240	PG0700N-10254A0C	7.00	0.9	1.48	1.52	1.9	10	10	60±20	6	
241	PG0705A152-160F版次一	7.05	0.9	1.45	1.52	1.6	5	2	80±20	6.2	DC 30V, 2A
242	PG0735A134-140	7.35	0.8	1.3	1.34	1.4	10	20	100±20		
243	PG0750D150-190F	7.50	0.9	1.48	1.505	1.9	10	40	120±20	6.4	DC 12V, 1A
244	PG0780AF	7.80	0.9	1.48	1.52	1.9	10	10	90±20	6.6	
245	PG0780E190-250F	7.80	1	1.5	1.9	2.5	10	10	90±20	7	DC 12V, 2A
246	PG0785A152-190	7.85	0.9	1.48	1.52	1.9	10	10	60±20	6	
247	PG082001-183	8.20	1.05	1.5	1.61/1.61	1.83	10	选镀	100±20	7.33	DC 30V, 2A
248	PG0820A162-180F	8.20	1.05	1.5/1.55	1.62	1.8	10	25	0.3N/0.2N	7.2	DC 12V, 1A
249	PG0870	8.70	1.05	1.5	1.61	1.83	10	20	100±20	7.3	DC 30V, 2A
250	PG087001-183	8.70	1.05	1.5/1.55	1.61/1.61	1.83	10	选镀	100±20	7.3	DC 30V, 2A
251	PG0870D122-130F	8.70	0.7	1.1	1.22	1.3	10	20	70±15	7.78/8.1	
252	PG0920C122-130F	9.20	0.7	1.1	1.22	1.3	10	20	70±15	7.78/8.1	
253	PG0950H152-190	9.50	0.9	1.48	1.52	1.9	10	10	120±20	8.3	
254	PG1030A162-200-080P	10.30	0.9	1.5	1.62	2	10	15	0.4N	8.6	
255	PG1060A232-270-080P	10.60	1.4	2.19	2.32	2.7	10	15	0.6N	8.6	
256	DG105001-200X	10.50	1.05	1.5	1.61/1.6	2.0/1.5	5	5	70±20	8.25	DC 30V, 5A
257	PG1100A150-230	11.00	1	1.5		2.3	10	10	160±20	9.8	DC 12V, 1A
258	PG1150E160-190 (版三)	11.50	0.9	1.6		1.9	10	10	160±20	10.8/9.7	
259	PG1260A150-180	12.60	1	1.5		1.8	10	10	50±10	9.1	
260	PG680F122-130F	6.80	0.68	1.1	1.22	1.3	5	2	55±20	5.8	
261	PG0500M162-183F	5.00	1.07	1.5	1.62	1.83	10	20	0.6N	3.6/4.3	DC 12V, 1A
262	RG092001-385	10.00	1.05	1.5	3.85	1.5	5	10	95±15	7.4	DC 30V, 3A
263	RG092002-385	10.00	1.05	1.5	3.85	1.5	5	10	80±15	7.4	DC 30V, 3A
264	PG0600I140-150F	6.00	0.9	1.4		1.5	5	5	90±20	4.9	DC 30V, 2A
265	DG150001-183X	15	1.05	1.5	1.61/1.62	1.83/0.6	5	10	65±15	13.75	DC 30V, 3A